

**MILLER**
by SPERIAN**GENERAL DATA**

Division : Fall Protection

Family : Fall Protection

Range : Restraint Lanyards

Brand formerly known as : MILLER

Business Countries

United Kingdom

Activity Domains :

Building and Construction • Industry

**Product Use :**

A restraint lanyard is used to restrict the worker's movement to prevent him reaching a location where a fall hazard exists.

PRODUCT ADVANTAGES

Feature :

Lightweight, versatile restraint and fall arrest lanyards designed for maximum protection. Adapted rope for work requiring limited movement and where there is a sufficient potential fall distance. This 1.5-meter rope comes with a buckle and a karabiner.

Benefit :

A restraint lanyard is used to restrict the worker's movement to prevent him reaching a location where a fall hazard exists.

TECHNICAL DESCRIPTION

Length :

1,5m

Weight :

0.360 kg

Breaking Strength :

> 15 KN

Operating Temperature :

-30°C to +50°C

Rope**Raw Material :**

Ø12mm Polyamide

Breaking Strength :

> 2500 daN

Standard :

EN 696

Connector**Raw Material :**

Zinc-plated steel

Opening :

17 mm

Breaking Strength :

> 2500 daN

Standard :

EN 362

ADDITIONAL INFORMATION

User manual number :

EN354

CERTIFICATION AND CONFORMITY

EC Category PPE* : Class 3

Standards :

EN 354

European Directives :

89/686/EEC

Quality Assurance :

ISO 9001 / 2000

EC Certification Number :

0333 AFAQ/CTH

EC Attestation Number :

0082/490/160/09/00/0291

Laboratory :

APAVE Lyonnaise

*PPE : Personal Protective Equipment



EC CONFORMITY DECLARATION

The manufacturer or its legal representative supplier settled in the European Community:

Miller by Sperian

Declares that the next Personal Protective Equipment described here after is in conformity with the provisions of Council Directive 89/686/CEE:

Designation: Restraint Lanyard Polyamide Rope 12 mm - 1.5m + 2 karabiners

Reference: 1004711

Standard(s): EN 354

This PPE is the object of the above EC attestation type:

0082/490/160/09/00/0291

Delivered by:

APAVE Lyonnaise

177 route de Saint-Bel

BP 3

69811 TASSIN CEDEX

France

Made at Vierzon, on the 06/26/2007

By: Yves Depin

Division: Fall Protection

