IRECHIEF®

FIRECHIEF 0.6KG BC POWDER AEROSOL EXTINGUISHER

Issue date V1 13/01/23 Page: 1

Section 1. Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product name: FIRECHIEF 0.6KG BC POWDER AEROSOL EXTINGUISHER

- **Product code:** 100-1360 FCDP600
- **1.2 Product use:** Fire Extinguisher
- 1.3 Details of the supplier of the safety data sheet Company name: Firechief Global 3 Lands End Way OAKHAM Rutland LE15 6RB
- Emails address:
 sales@firechiefglobal.com

 1.4
 Emergency telephone number
 - Emergency tel: +44 (0)330 999 0019 (office hours 08:00 17:00)

Section 2. Composition/information on ingredients

2.1 Classification of Substance

This preparation does not fall under the category of danger according to the regulation 1272/2008 (CLP) nor subsequent modifications

2.2 Label Elements

Meet the requirements of BS 6165:2002

2.3 Other Hazards

The preparation is in the form of fine powder that easily forms suspensions in air in movement and may create aerosols. Prolonged exposure to any type of powder can be potentially harmful.

Section 3. Hazards identification of contents

Components	Cas Number	EC Number	REACH Registration Number	% of Contents
Sodium Bicarbonate	144-55-8	205-633-8	01-2119457606-32	90%
Calcium Carbonate	1317-65-3	207-439-9	-	7.2%
Additives	-	-	-	2.8%

Section 4. First aid measures (for contents)

4.1 Description of First Aid Measures

Eye Contact
Inhalation
IngestionRinse with copious amounts of water and seek medical attention if irritation persists
Movement of the exposed individual from the area of inhalation to fresh air is recommended
Consult a doctor and present the container or label of the product.4.2Most Important and effects both acute and delayed.

No acute and delayed symptoms and effects are observed

4.3 Indication of any immediate medical attention and special treatment needed. IF SWALLOWED you feel unwell: Call a POISON CENTER or doctor. If irritation or rash occurs: Get medical advice. If experiencing respiratory symptoms: Call a POISON CENTER or doctor



sales@firechiefglobal.com



firechiefglobal.com

FIRECHIEF®

FIRECHIEF 0.6KG BC POWDER AEROSOL EXTINGUISHER

lssue date: V1 13/01/22 Page: 2

Section 5. Fire fighting measures

- 5.1 Extinguishing Media This Product is not flammable or combustible. With thermal decomposition it produces CO2.
- 5.2 Special hazards arising from mixture Use proper protective equipment with individual protection of the respiratory tract Important NOTE: - Pressurized Container. Keep cool to limit possibility of explosion. Pressurized to 8-10 bars.

Section 6. Accidential release measures

- 6.1 Personal precautions, protective equipment and emergency procedure. Avoid airborne dust generation, wear personal protective equipment in compliance with national legislation.
- 6.2 Environmental Precautions Avoid unnecessary dispersal to the environment
- 6.3 Methods and material for containment and cleaning up. Discard the waste to an approved facility

Section 7. Handling and storage

- 7.1 Handling Pressurised to 8-10 bars. Do not puncture or burn. Discard damaged cans safely. Contact manufacturer for instructions.
- 7.2 Storage Store in a cool place. Avoid elevated temperatures. Do not expose to temperatures exceeding 60 degrees C. Do not puncture. Discard damaged cans safely.

Section 8. Personal protection - contents

8.1	Control Parameters.	SAEL. TWA: 10mg/m3
8.2	Exposure Controls.	Engineers measures. Adopt adequate ventilation at places where dust has formed
	Respiratory Protection.	Use only respiratory protection that conforms to international/national standards. Dust mask with filter type P2
	Hand Protection	Wear gloves.
	Eye Protection	Safety glasses. In case of dust production: protective goggles.
	Skin and body protection	Wear suitable protective clothing.
	Hygiene measures	When using do not eat or drink. Wash hands before breaks and at the end of workday.
	Protective measures	Do not breathe dust. When working with hot material, avoid contact with skin.
	Environmental exposure controls	Dispose the wash water according to local and national regulations.

Section 9. Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical form:	fine powder.
Odor:	odorless.
Colour:	white.
pH:	about 8,5 (dispersion at 5%).
Melting point:	> 50 °C
Boiling point:	N. A.
Bulk density:	about 1,063 ± 0,07 g/cm ³
Solubility (20°C):	N.A. (NaHCO3 93 g/l, CaCO3 0.014 g/l).

+44 (0) 330 999 0019



sales@firechiefglobal.com



firechiefglobal.com

FIRECHIEF®

FIRECHIEF 0.6KG BC POWDER AEROSOL EXTINGUISHER

lssue date: V1 13/01/23 Page: 3

```
Other Information
```

Pressurised Container. 8-10 bars

Section 10. Stability and reactivity

10.1 Reactivity10.2 Chemical Stability10.3 Possibility of Hazardous reactions	Stable under normal conditions Stable When it reaches temperatures above 190°C it decomposes dispersing ammonia. Contamination with incompatible materials.
10.4 Conditions to Avoid.10.5 Incompatible Materials.10.6 Hazardous Decomposition Products	Storage Temperatures above 60 deg C. Risk of explosion. Permanent deformation. Acids. The powder develops CO2

Section 11. Toxicological information

Acute oral toxicity	LD50: > 4.000 mg/kg (Rat).
Acute inhalation toxicity LC50:	Not availabl e
Acute dermal toxicity	(Rabbit) No skin irritation.
Skin corrosion/irritation	(Rabbit) No skin irritation.
Serious eye damage/eye irritation	Not available
Respiratory or skin sensitization	0 Mutagenicity
Germ cell mutagenicity	Not available
Genotoxicity in vitro.	Not mutagenic in Ames Test.
Genotoxicity in vivo Assessment	(Rat) Did not show carcinogenic or mutagenic effects in animal experiments.
Carcinogenicity	Oral (Rabbit): 330 mg/k g.
Reproductive toxicity Teratogenicity	Did not show mutagenic or teratogenic effects in animal experiments.
STOT - repeated exposure	Not available
Further information	Health injuries are not known or expected under normal use

Section 12. Ecological information

12.1 Toxicity to fish	LC50: 7100 mg/l, 96 - h, Lepomis macrochirus.	
	NOEC: 5200 mg/l, 96 - h, Lepomis macrochirus.	
Toxicity to daphnia magna and	LC50: 4100 mg/l, 48 - h. NOEC: 3100 mg/l, 48 - h.	
other aquatic invertebrates.	NOEC: > 576 mg/l, 21 days	
12.2 Persistence and degradability	The methods for determining biodegradability are not applicable to inorganic substances.	
12.3 Bio accumulative potential	Bioaccumulation is unlikely.	
12.4 Mobility in soil		Mobility Not applicable
Distribution among environmental com	partments	Not applicable
Physico-chemical removability		Not applicable
Distribution among environmental com	partments	Not applicable
Physico-chemical removability		Not applicable
12.5 Results of PBT and vPvB assessmen	ent This substance is not considered to be persistent, bioaccumulating nor toxic (PBT). This substance is not considered to be very persistent nor very bioaccumulating (vPvB).	

12.6 Other adverse effects Adsorbed organic bound halogens (AOX) Not applicable.

Section 13. Disposal considerations

13.1 Waste treatment methods

Recycling and disposal of packaging should be carried out by an authorised waste



sales@firechiefglobal.com



FIRECHIEF®

FIRECHIEF 0.6KG BC POWDER AEROSOL EXTINGUISHER

lssue date: V1 13/01/23 Page: 4

management company. EURAL

Section 14. Transport information

 14.1 UN Number 14.2 UN Proper Shipping Name 14.3 Transport Hazard Classes 14.4 Packing Group 14.5 Environmental Hazards 14.6 Special Precautions for User 14.7 International Transport Informaton 	1044 Extinguishers with compressed or liquified gas Class 2 Group 2 None Pressurized container A pressurised Fire Extinguisher should not be sent by air. Exempt from ADR Road Transport SP594 No Immediate Hazard to Health or Fire Risk No Special Precautions in Event of an accident No Special First Aid measures
	No Special First Aid measures Use any available means to control Fire

Section 15. Regulatory information

15.1 Safety, Health and Environmental Regulation Specific for the substance No Annex XVII Restrictions **15.2 Chemical Safety Assessment** Exempt from REACH Registration

Section 16. Other information

16.1 The information on the contents of this product SDS is based on the information reported in the SDS of the raw materials that compose the mixture and are supplied in the SDS provided by the manufacturer of the contents. The information relates only to this specific product and may not apply to the same when used in combination with other materials or in any other way.

Whilst proper care has been taken in the preparation of this document, no liability for injury or damage resulting from its use or misuse can be accepted. Details given in this document are believed to be correct at the time of writing.

For more information contact: Firechief Global, 3 Lands End Way, Oakham, Rutland, UK, LE15 6RB | Imported into EU by: Sentura Group (Ireland) Ltd, Joyce House, 21-23 Holles Street, Dublin 2, Ireland



+44 (0) 330 999 0019



sales@firechiefglobal.com



