

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product form : Mixture  
Product name : Cleanline Brick & Stone Forecourt Cleaner  
UFI : S5YS-Q0EV-A00G-1SJH  
Product code : CL2014

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

##### 1.2.1. Relevant identified uses

Industrial/Professional use spec : For professional use only  
Use of the substance/mixture : Cleaning Product

##### 1.2.2. Uses advised against

Restrictions on use : Anything other than intended use as listed on the label.

#### 1.3. Details of the supplier of the safety data sheet

Prime Source  
PO Box 15247  
Birmingham  
B23 3HN  
UK  
Tel: 08085 749312  
E-mail: info@prime-source.co.uk

#### 1.4. Emergency telephone number

Emergency number : 01865 407 333  
24 hour - Medical Emergency Only

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

##### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Corrosive to metals, Category 1	H290
Skin corrosion/irritation, Category 1	H314
Serious eye damage/eye irritation, Category 1	H318
Specific target organ toxicity — Single exposure, Category 3,	H335
Respiratory tract irritation	
Full text of H statements : see section 16	

##### Adverse physicochemical, human health and environmental effects

May be corrosive to metals. May cause respiratory irritation. Causes severe skin burns and eye damage. Causes serious eye damage.

#### 2.2. Label elements

##### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :



GHS05

GHS07

Signal word (CLP) :

Danger

Contains :

hydrochloric acid ... %; Alcohols c9-11, ethoxylated

Hazard statements (CLP) :

H290 - May be corrosive to metals.  
H314 - Causes severe skin burns and eye damage.  
H335 - May cause respiratory irritation.

# Cleanline Brick & Stone Forecourt Cleaner

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Precautionary statements (CLP) : P261 - Avoid breathing fume, gas, spray, vapours, mist.  
P280 - Wear eye protection, face protection, protective clothing, protective gloves.  
P301+P330+P331 - IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.  
P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water .  
P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P310 - Immediately call a POISON CENTER or doctor.

### 2.3. Other hazards

No additional information available

## SECTION 3: Composition/information on ingredients

### 3.1. Substances

Not applicable

### 3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
hydrochloric acid ... %	(CAS-No.) 7647-01-0 (EC-No.) 231-595-7 (EC Index-No.) 017-002-01-X (REACH-no) 01-2119484862-27	≥ 10 – < 30	Met. Corr. 1, H290 Skin Corr. 1B, H314 STOT SE 3, H335
Alcohols c9-11, ethoxylated	(CAS-No.) 68439-46-3 (EC-No.) 614-482-0 (REACH-no) Exempt	≥ 1 – < 10	Acute Tox. 4 (Oral), H302 Eye Dam. 1, H318
Phosphoric acid substance with a Community workplace exposure limit	(CAS-No.) 7664-38-2 (EC-No.) 231-633-2 (EC Index-No.) 015-011-00-6 (REACH-no) 01-2119485924-24	< 1	Acute Tox. 4 (Oral), H302 Skin Corr. 1B, H314

### Specific concentration limits:

Name	Product identifier	Specific concentration limits
hydrochloric acid ... %	(CAS-No.) 7647-01-0 (EC-No.) 231-595-7 (EC Index-No.) 017-002-01-X (REACH-no) 01-2119484862-27	( 10 ≤C < 25) Skin Irrit. 2, H315 ( 10 ≤C < 25) Eye Irrit. 2, H319 ( 10 ≤C ≤ 100) STOT SE 3, H335 ( 25 ≤C ≤ 100) Skin Corr. 1B, H314
Phosphoric acid	(CAS-No.) 7664-38-2 (EC-No.) 231-633-2 (EC Index-No.) 015-011-00-6 (REACH-no) 01-2119485924-24	( 10 ≤C < 25) Skin Irrit. 2, H315 ( 10 ≤C < 25) Eye Irrit. 2, H319 ( 25 ≤C ≤ 100) Skin Corr. 1B, H314

Full text of H-statements: see section 16

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

First-aid measures general : Call a physician immediately.  
First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing. Call a poison center or a doctor if you feel unwell.  
First-aid measures after skin contact : Rinse skin with water/shower. Take off immediately all contaminated clothing. Call a physician immediately.  
First-aid measures after eye contact : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a physician immediately.

# Cleanline Brick & Stone Forecourt Cleaner

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

First-aid measures after ingestion : Rinse mouth. Do not induce vomiting. Call a physician immediately.

### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after inhalation : May cause respiratory irritation.  
Symptoms/effects after skin contact : Burns.  
Symptoms/effects after eye contact : Serious damage to eyes.  
Symptoms/effects after ingestion : Burns.

### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide.

### 5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products in case of fire : Toxic fumes may be released.

### 5.3. Advice for firefighters

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

#### 6.1.1. For non-emergency personnel

Emergency procedures : Ventilate spillage area. Avoid contact with skin and eyes. Do not breathe dust/fume/gas/mist/vapours/spray.

#### 6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".

### 6.2. Environmental precautions

Avoid release to the environment.

### 6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Take up liquid spill into absorbent material.  
Other information : Dispose of materials or solid residues at an authorized site.

### 6.4. Reference to other sections

For further information refer to section 13.

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

Precautions for safe handling : Use only outdoors or in a well-ventilated area. Avoid contact with skin and eyes. Do not breathe dust/fume/gas/mist/vapours/spray. Wear personal protective equipment.  
Hygiene measures : Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

# Cleanline Brick & Stone Forecourt Cleaner

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions	: Store in corrosive resistant container with a resistant inner liner. Keep only in original container. Store locked up. Store in a well-ventilated place. Keep container tightly closed. Keep cool.
Incompatible products	: Oxidizing agent. Strong acids. Strong bases.
Incompatible materials	: Metals.
Special rules on packaging	: Keep only in original container. Store in a closed container.

### 7.3. Specific end use(s)

No additional information available

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

hydrochloric acid ... % (7647-01-0)	
<b>EU - Occupational Exposure Limits</b>	
Local name	Hydrogen chloride
IOELV TWA (mg/m <sup>3</sup> )	8 mg/m <sup>3</sup>
IOELV TWA (ppm)	5 ppm
IOELV STEL (mg/m <sup>3</sup> )	15 mg/m <sup>3</sup>
IOELV STEL (ppm)	10 ppm
Regulatory reference	COMMISSION DIRECTIVE 2000/39/EC
<b>Ireland - Occupational Exposure Limits</b>	
Local name	Hydrogen chloride
OEL (8 hours ref) (mg/m <sup>3</sup> )	8 mg/m <sup>3</sup>
OEL (8 hours ref) (ppm)	5 ppm
OEL (15 min ref) (mg/m <sup>3</sup> )	15 mg/m <sup>3</sup>
OEL (15 min ref) (ppm)	10 ppm
Notes (IE)	IOELV (Indicative Occupational Exposure Limit Values)
Regulatory reference	Chemical Agents Code of Practice 2020
<b>United Kingdom - Occupational Exposure Limits</b>	
Local name	Hydrogen chloride
WEL TWA (mg/m <sup>3</sup> )	2 mg/m <sup>3</sup> gas and aerosol mists
WEL TWA (ppm)	1 ppm gas and aerosol mists
WEL STEL (mg/m <sup>3</sup> )	8 mg/m <sup>3</sup> gas and aerosol mists
WEL STEL (ppm)	5 ppm gas and aerosol mists
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE

### Phosphoric acid (7664-38-2)

Phosphoric acid (7664-38-2)	
<b>EU - Occupational Exposure Limits</b>	
Local name	Orthophosphoric acid
IOELV TWA (mg/m <sup>3</sup> )	1 mg/m <sup>3</sup>
IOELV STEL (mg/m <sup>3</sup> )	2 mg/m <sup>3</sup>
Regulatory reference	COMMISSION DIRECTIVE 2000/39/EC

# Cleanline Brick & Stone Forecourt Cleaner

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

### Phosphoric acid (7664-38-2)

#### Ireland - Occupational Exposure Limits

Local name	Orthophosphoric acid [Phosphoric acid]
OEL (8 hours ref) (mg/m <sup>3</sup> )	1 mg/m <sup>3</sup>
OEL (15 min ref) (mg/m <sup>3</sup> )	2 mg/m <sup>3</sup>
Notes (IE)	IOELV (Indicative Occupational Exposure Limit Values)
Regulatory reference	Chemical Agents Code of Practice 2020

#### United Kingdom - Occupational Exposure Limits

Local name	Orthophosphoric acid
WEL TWA (mg/m <sup>3</sup> )	1 mg/m <sup>3</sup>
WEL STEL (mg/m <sup>3</sup> )	2 mg/m <sup>3</sup>
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE

## 8.2. Exposure controls

### Appropriate engineering controls:

Ensure good ventilation of the work station.

### Hand protection:

Chemical resistant gloves (according to European standard EN 374 or equivalent)

### Eye protection:

Safety glasses. Use eye protection according to EN 166.

### Skin and body protection:

Wear suitable protective clothing

### Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment

### Personal protective equipment symbol(s):



### Environmental exposure controls:

Avoid release to the environment.

### Other information:

PPE should be worn to prevent any contact with the chemical.

Any contaminated clothing should be washed prior to re-use.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Colour	: red.
Odour	: acidic.
Odour threshold	: No data available
pH	: < 2

# Cleanline Brick & Stone Forecourt Cleaner

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Relative evaporation rate (butylacetate=1)	: No data available
Melting point	: Not applicable
Freezing point	: No data available
Boiling point	: No data available
Flash point	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: Not applicable
Vapour pressure	: No data available
Relative vapour density at 20 °C	: No data available
Relative density	: No data available
Density	: 1.04 – 1.06
Solubility	: No data available
Partition coefficient n-octanol/water (Log Pow)	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Oxidising properties	: No data available
Explosive limits	: No data available

### 9.2. Other information

No additional information available

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

### 10.2. Chemical stability

Stable under normal conditions.

### 10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

### 10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

### 10.5. Incompatible materials

metals.

### 10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

## SECTION 11: Toxicological information

### 11.1. Information on toxicological effects

Acute toxicity (oral)	: Not classified
Acute toxicity (dermal)	: Not classified
Acute toxicity (inhalation)	: Not classified

#### Alcohols c9-11, ethoxylated (68439-46-3)

LD50 dermal rat	> 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)
LC50 inhalation rat (mg/l)	> 1.6 mg/l air Animal: rat, Guideline: OECD Guideline 403 (Acute Inhalation Toxicity)

# Cleanline Brick & Stone Forecourt Cleaner

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

### Phosphoric acid (7664-38-2)

LD50 oral rat	769.23 mg/kg
---------------	--------------

Skin corrosion/irritation : Causes severe skin burns.  
pH: < 2

Serious eye damage/irritation : Causes serious eye damage.  
pH: < 2

Respiratory or skin sensitisation : Not classified

Germ cell mutagenicity : Not classified

Carcinogenicity : Not classified

Reproductive toxicity : Not classified

STOT-single exposure : May cause respiratory irritation.

STOT-repeated exposure : Not classified

### Alcohols c9-11, ethoxylated (68439-46-3)

NOAEL (oral, rat, 90 days)	≥ 500 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity in Rodents)
----------------------------	---

### Phosphoric acid (7664-38-2)

NOAEL (oral, rat, 90 days)	250 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test)
----------------------------	---

Aspiration hazard : Not classified

## SECTION 12: Ecological information

### 12.1. Toxicity

Ecology - general : Before neutralisation, the product may represent a danger to aquatic organisms.

Hazardous to the aquatic environment, short-term (acute) : Not classified

Hazardous to the aquatic environment, long-term (chronic) : Not classified

Not rapidly degradable

### Phosphoric acid (7664-38-2)

EC50 Daphnia 1	> 100 mg/l Test organisms (species): Daphnia magna
EC50 72h algae (1)	> 100 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)

### 12.2. Persistence and degradability

No additional information available

### 12.3. Bioaccumulative potential

No additional information available

### 12.4. Mobility in soil

No additional information available

### 12.5. Results of PBT and vPvB assessment

No additional information available

# Cleanline Brick & Stone Forecourt Cleaner

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

### 12.6. Other adverse effects

No additional information available






## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.

## SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

ADR	IMDG	IATA	ADN	RID
<b>14.1. UN number</b>				
UN 1789	UN 1789	UN 1789	UN 1789	UN 1789
<b>14.2. UN proper shipping name</b>				
HYDROCHLORIC ACID	HYDROCHLORIC ACID	Hydrochloric acid	HYDROCHLORIC ACID	HYDROCHLORIC ACID
<b>Transport document description</b>				
UN 1789 HYDROCHLORIC ACID, 8, II, (E)	UN 1789 HYDROCHLORIC ACID, 8, II	UN 1789 Hydrochloric acid, 8, II	UN 1789 HYDROCHLORIC ACID, 8, II	UN 1789 HYDROCHLORIC ACID, 8, II
<b>14.3. Transport hazard class(es)</b>				
8	8	8	8	8
				
<b>14.4. Packing group</b>				
II	II	II	II	II
<b>14.5. Environmental hazards</b>				
Dangerous for the environment : No	Dangerous for the environment : No Marine pollutant : No	Dangerous for the environment : No	Dangerous for the environment : No	Dangerous for the environment : No
No supplementary information available				

### 14.6. Special precautions for user

#### Overland transport

Classification code (ADR) : C1  
Special provisions (ADR) : 520  
Limited quantities (ADR) : 1I  
Excepted quantities (ADR) : E2  
Packing instructions (ADR) : P001, IBC02  
Mixed packing provisions (ADR) : MP15  
Portable tank and bulk container instructions (ADR) : T8  
Portable tank and bulk container special provisions (ADR) : TP2  
Tank code (ADR) : L4BN  
Tank special provisions (ADR) : TU42  
Vehicle for tank carriage : AT  
Transport category (ADR) : 2  
Hazard identification number (Kemler No.) : 80



# Cleanline Brick & Stone Forecourt Cleaner

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Orange plates : 

Tunnel restriction code (ADR) : E  
EAC code : 2R

### Transport by sea

Packing instructions (IMDG) : P001  
IBC packing instructions (IMDG) : IBC02  
IBC special provisions (IMDG) : B20  
Tank instructions (IMDG) : T8  
Tank special provisions (IMDG) : TP2  
EmS-No. (Fire) : F-A  
EmS-No. (Spillage) : S-B  
Stowage category (IMDG) : C  
Properties and observations (IMDG) : Colourless liquid. An aqueous solution of the gas hydrogen chloride. Highly corrosive to most metals. Causes burns to skin, eyes and mucous membranes.

### Air transport

PCA Excepted quantities (IATA) : E2  
PCA Limited quantities (IATA) : Y840  
PCA limited quantity max net quantity (IATA) : 0.5L  
PCA packing instructions (IATA) : 851  
PCA max net quantity (IATA) : 1L  
CAO packing instructions (IATA) : 855  
CAO max net quantity (IATA) : 30L  
Special provisions (IATA) : A3  
ERG code (IATA) : 8L

### Inland waterway transport

Classification code (ADN) : C1  
Special provisions (ADN) : 520  
Limited quantities (ADN) : 1 L  
Excepted quantities (ADN) : E2  
Equipment required (ADN) : PP, EP  
Number of blue cones/lights (ADN) : 0

### Rail transport

Classification code (RID) : C1  
Special provisions (RID) : 520  
Limited quantities (RID) : 1L  
Excepted quantities (RID) : E2  
Packing instructions (RID) : P001, IBC02  
Mixed packing provisions (RID) : MP15  
Portable tank and bulk container instructions (RID) : T8  
Portable tank and bulk container special provisions (RID) : TP2  
Tank codes for RID tanks (RID) : L4BN  
Special provisions for RID tanks (RID) : TU42  
Transport category (RID) : 2  
Colis express (express parcels) (RID) : CE6  
Hazard identification number (RID) : 80

## 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions  
Contains no substance on the REACH candidate list  
Contains no REACH Annex XIV substances

# Cleanline Brick & Stone Forecourt Cleaner

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Contains no substance subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.

Contains no substance subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

### 15.1.2. National regulations

No additional information available

## 15.2. Chemical safety assessment

No chemical safety assessment has been carried out

## SECTION 16: Other information

Abbreviations and acronyms:	
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute Toxicity Estimate
BLV	Biological limit value
CAS-No.	Chemical Abstract Service number
CLP	Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008
DMEL	Derived Minimal Effect level
DNEL	Derived-No Effect Level
EC50	Median effective concentration
EC-No.	European Community number
EN	European Standard
IATA	International Air Transport Association
IMDG	International Maritime Dangerous Goods
LC50	Median lethal concentration
LD50	Median lethal dose
LOAEL	Lowest Observed Adverse Effect Level
NOAEC	No-Observed Adverse Effect Concentration
NOAEL	No-Observed Adverse Effect Level
NOEC	No-Observed Effect Concentration
OEL	Occupational Exposure Limit
PBT	Persistent Bioaccumulative Toxic
PNEC	Predicted No-Effect Concentration
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
SDS	Safety Data Sheet
vPvB	Very Persistent and Very Bioaccumulative
WGK	Water Hazard Class

### Full text of H- and EUH-statements:

Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
---------------------	-----------------------------------

# Cleanline Brick & Stone Forecourt Cleaner

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Met. Corr. 1	Corrosive to metals, Category 1
Skin Corr. 1B	Skin corrosion/irritation, Category 1B
Skin Irrit. 2	Skin corrosion/irritation, Category 2
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Respiratory tract irritation
H290	May be corrosive to metals.
H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H335	May cause respiratory irritation.

SDS EU (REACH Annex II)

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.