

Product Datasheet model pheos 9192 225

**UVEX ARBEITSSCHUTZ GMBH, Würzburger Str. 181-189,
D-90766 Fürth**

**Product
characteristics**

- modern safety spectacles with a fashionable design and duo-spherical lens technology
- metal-free
- additional eyebrow protection with Eye Plus Protection: a bevelled edge in upper area
- soft, non-slip ear pieces (uvex duo Component technology) prevent pressure points
- very large field of vision
- can be easily combined with other PPE
- suitable for the uvex helmet IES (Integrated Eyewear System)

Technical details

Frame

Material
Features
Colour

Front piece/Temple

POM/TPE
excellent ventilation
black, green

Manufacturer's ID code
Applicable EN norm
Low-energy impact
Conformity symbol

Marking

W
166
F (45 m/s)
CE

Lens

Material
Thickness
Coating
Colour
UV protection

PC
2,1 mm
uvex supravision excellence
clear
UV 400

Filter
Manufacturer's ID code
Optical class
Low-energy impact
Surface resistance to
fine particles
Antifog
Conformity symbol

Marking

2C-1,2 (DIN EN 170)
W
1
F (45 m/s)
K
N
CE

Miscellaneous

Weight

30 g

Packing

5 spectacles per box

160 spectacles per cardboard box

Standards

DIN EN 166 + DIN EN 170

PPE Category

Category II